

Terralys LF 35/35 C2
Geotextiles



TECHNICAL DATA

TYPICAL PROPERTIES	TEST METHOD	VALUE		UNIT	TOLERANCE
		WARP	WEFT		
MATERIAL		PP	PP		
STRAIN AT MAXIMAL LOAD	NBN EN ISO 10319	16	14	%	± 20 %
TENSILE STRENGTH	NBN EN ISO 10319	35	35	kN/m	± 10 %
TISSUE WEIGHT	EN ISO 9864	139		g/m ²	± 10 %
TOTAL WEIGHT	EN ISO 9864	259			± 10 %
DYNAMIC PERFORATION (CONE DROP)	EN ISO 13433	15		mm	MAX
STATIC PUNCTURE (CBR)	EN ISO 12236	4,4		kN	- 20 %
TISSUE COLOUR		black			
COATING MATERIAL		PP			
COATED SIDES		2			
COATING WEIGHT / SIDE		60		g/m ²	± 20 %
COATING COLOUR		transp			
WIDTH		200 - 400		cm	± 2 cm
LENGTH				m	± 2 %
REMARKS					

This information is not to be taken as a warranty or representation for which we assume legal responsibility.
It is offered solely for your consideration, investigation, verification and shall form no part of any contract with the customer.

DATASHEET 1144: version 1	date: 18/07/2025
---------------------------	------------------